

Pubblicazioni Roberto Battiston

Dal sito Spires (Stanford) : <http://www.slac.stanford.edu/spires/>

Introducendo la stringa

FIND A BATTISTON, ROBERTO

Si puo' avere accesso anche al testo delle singole pubblicazioni

Generated on **05/28/09** (mm/dd/yy)

Your result was: **432** [eligible papers = 376 (published or arXiv E-prints)]

Breakdown of search results by citation

	All papers	Published only
Renowned papers(500+ cites):	<u>3</u>	<u>3</u>
Famous papers (250-499 cites) :	<u>2</u>	<u>2</u>
Very well-known papers (100-249) :	<u>17</u>	<u>17</u>
Well-known papers (50-99) :	<u>41</u>	<u>41</u>
Known papers (10-49) :	188	188
Less known papers (1-9) :	95	87
Unknown papers (0) :	30	19
<hr/>		
Total eligible papers analyzed:	376	357
Total number of citations:	13716	13680
Average citations per paper:	36	38

Result: 432 documents found:

1) Silicon photomultiplier arrays - a novel photon detector for a high resolution tracker produced at FBK-irst, Italy.

By R. Greim, et al.,

[arXiv:0903.3883] (Mar 2009)

2) Results and applications of SiPM photodetectors from FBK-irst by the DASIPM Collaboration.

By A. Del Guerra, et al.,

Nuovo Cim.30C:483-493,2007,.

3) Development of Silicon PhotoMultipliers at FBK-irst.

By C. Piemonte, et al.,

Nuovo Cim.30C:473-482,2007,.

- 4) The MEMS project.
By R. Battiston.
Nuovo Cim.30C:449-461,2007,.
- 5) A Scintillating Fiber Tracker With SiPM Readout.
By G.Roper Yearwood, et al.,
[arXiv:0812.0454] (Dec 2008) 5p.
- 6) The alpha magnetic spectrometer silicon tracker: Performance results with protons and helium nuclei.
By J. Alcaraz, et al.,
Nucl.Instrum.Meth.A593:376-398,2008, Erratum-ibid.A597:270,2008,.
- 7) The anti matter spectrometer (AMS-02): A particle physics detector in space.
By R. Battiston.
J.Phys.Conf.Ser.116:012001,2008,.
- 8) Helium in near Earth orbit.
By AMS Collaboration
Phys.Lett.B494:193-202, 2000,.
- 9) Deflection of 400 GeV/c proton beam with bent silicon crystals at the CERN Super Proton Synchrotron.
By Walter Scandale, et al.,
Phys.Rev.ST Accel.Beams 11:063501,2008,.
- 10) Apparatus to study crystal channeling and volume reflection phenomena at the SPS H8 beamline.
By Walter Scandale, et al.,
Rev.Sci.Instrum.79:023303,2008,.
- 11) Study of the solar anisotropy for cosmic ray primaries of about 200- GeV energy with the L3 + C muon detector.
By L3 Collaboration
Astron.Astrophys.488:1093-1100,2008,.
- 12) The antimatter spectrometer (AMS-02): A particle physics detector in space.
By AMS-02 Collaboration
Nucl.Instrum.Meth.A588:227-234,2008,.
- 13) Experimental apparatus to study crystal channeling in an external SPS beamline.
By Sergey V. Afanasev, et al.,
In *Rome 2006, Charged and neutral particles channeling phenomena II* no pag.
- 14) Double volume reflection of a proton beam by a sequence of two bent crystals.
By Walter Scandale, et al.,
Phys.Lett.B658:109-111,2008, Erratum-ibid.B660:610-611,2008,.
- 15) Development of the first prototypes of Silicon PhotoMultiplier (SiPM) at ITC-irst.
By N. Dinu, et al.,

Nucl.Instrum.Meth.A572:422-426,2007,.

16) Development of the power supply system for the AMS-02 tracker detector.

By L. Accardo, et al.,

Nucl.Instrum.Meth.A572:330-332,2007,.

17) Construction and qualification of the power supply system of the AMS-02 Tracker detector.

By M. Menichelli, et al.,

Nucl.Phys.Proc.Suppl.166:234-240,2007,.

18) The Anti Matter Spectrometer (AMS-02): A particle physics detector in space.

By AMS-02 Collaboration

Nucl.Phys.Proc.Suppl.166:19-29,2007,.

19) Particle and fundamental physics in space. Proceedings, 3rd International Conference, SpacePart 2006, Beijing, China, April 19-21, 2006.

By R. Battiston (ed.), P. Zuccon (ed.), Ti-Pei Li (ed.).

Nucl. Phys. B, Proc. Suppl. 166 (2007) 1-319.

20) High-efficiency volume reflection of an ultrarelativistic proton beam with a bent silicon crystal.

By W. Scandale, et al.,

Phys.Rev.Lett.98:154801,2007,.

21) Study of resonance formation in the mass region 1400-MeV to 1500-MeV through the reaction $\gamma\gamma \rightarrow K_0(S) K^\pm \pi^\mp$.

By L3 Collaboration

JHEP 0703:018,2007,.

22) Cosmic-ray positron fraction measurement from 1 to 30-GeV with AMS-01.

By AMS-01 Collaboration

Phys.Lett.B646:145-154,2007, [astro-ph/0703154]

23) The power supply system of the AMS-02 tracker detector.

By M. Menichelli, et al.,

IEEE Trans.Nucl.Sci.53:2434-2439,2006,.

24) Study of inclusive strange-baryon production and search for pentaquarks in two-photon collisions at LEP.

By L3 Collaboration

Eur.Phys.J.C49:395-410,2007, [hep-ex/0609054]

25) A search for flaring very-high-energy cosmic gamma-ray sources with the L3+C muon spectrometer.

By L3 Collaboration

Astropart.Phys.25:298-310,2006,.

26) Analysis of the $\pi^+ \pi^- \pi^+ \pi^-$ and $\pi^+ \pi^0 \pi^- \pi^0$ final states in quasi-real two-photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B638:128-139,2006,. [hep-ex/0605021]

27) The Solar flare of the 14th of July 2000 (L3+C detector results).

By L3+C Collaboration

Astron.Astrophys.456:351-357,2006,.

28) Absorbed dose rate estimation for protons, leptons and helium observed with AMS01 experiment in low earth orbit during STS-91 mission.

By M. Ionica, et al.,

Radiat.Prot.Dosim.116:216-219,2005,.

29) Measurement of hadron and lepton-pair production in $e^+ e^-$ collisions at $s^{1/2} = 192$ -GeV to 208-GeV at LEP.

By L3 Collaboration

Eur.Phys.J.C47:1-19,2006,. [hep-ex/0603022]

30) Search for neutral MSSM Higgs bosons at LEP.

By ALEPH Collaboration

Eur.Phys.J.C47:547-587,2006,. [hep-ex/0602042]

31) Measurement of the mass and the width of the W boson at LEP.

By L3 Collaboration

Eur.Phys.J.C45:569-587,2006,. [hep-ex/0511049]

32) Indirect dark matter search with diffuse gamma rays from the Galactic Center with the Alpha Magnetic Spectrometer.

By Agnieszka Jacholkowska, et al.,

Phys.Rev.D74:023518,2006,. [astro-ph/0508349]

33) Measurement of the running of the electromagnetic coupling at large momentum-transfer at LEP.

By L3 Collaboration

Phys.Lett.B623:26-36,2005,. [hep-ex/0507078]

34) Measurement of the photon structure function F_2^{γ} with the L3 detector at LEP.

By L3 Collaboration

Phys.Lett.B622:249-264,2005,. [hep-ex/0507042]

35) Measurement of the cross section for open-beauty production in photon-photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B619:71-81,2005,. [hep-ex/0507041]

36) AMICA, an astro-mapper for AMS.

By Alessandro Monfardini, P. Trampus, R. Battiston, C. Gargiulo.

Astropart.Phys.25:355-360,2006,. [astro-ph/0506377]

37) Measurement of branching fractions of tau hadronic decays.

By L3 Collaboration

CERN-EP-2003-019 (Apr 2003) 17p.

38) Charge determination of nuclei with the AMS-02 silicon tracker.

By B. Alpat, et al.,

Nucl.Instrum.Meth.A540:121-130,2005,.

39) Neutral-current four-fermion production in $e^+ e^-$ interactions at LEP.

By L3 Collaboration

Phys.Lett.B616:159-173,2005,. [hep-ex/0504054]

40) Measurement of exclusive $\rho^+ \rho^-$ production in mid-virtuality two-photon interactions and study of the $\gamma \gamma^* \rightarrow \rho \rho$ process at LEP.

By L3 Collaboration

Phys.Lett.B615:19-30,2005,. [hep-ex/0504016]

41) Z-boson production with two unobserved, back-to-back, hard photons at LEP.

By L3 Collaboration

Phys.Lett.B613:118-127,2005,. [hep-ex/0504015]

42) Compton scattering of quasi-real virtual photons at LEP.

By L3 Collaboration

Phys.Lett.B616:145-158,2005,. [hep-ex/0504012]

43) Measurement of the shadowing of high-energy cosmic rays by the Moon: A Search for TeV-energy antiprotons.

By The L3 Collaboration

Astropart.Phys.23:411-434,2005,. [astro-ph/0503472]

44) AMS-gamma: High energy photons detection with the Alpha Magnetic Spectrometer on the ISS.

By B. Bertucci, et al.,

In *Hamburg 2001, Cosmic ray* 2777-2780.

45) Study of spin and decay-plane correlations of W bosons in the $e^+ e^- \rightarrow W^+ W^-$ process at LEP.

By L3 Collaboration

Eur.Phys.J.C40:333-341,2005,. [hep-ex/0501036]

46) Search for an invisibly-decaying Higgs boson at LEP.

By L3 Collaboration

Phys.Lett.B609:35-48,2005,. [hep-ex/0501033]

47) Particle and fundamental physics in space. Proceedings, 2nd International Conference, SpacePart'03, Washington, USA, December 10-12, 2003.

By R. Battiston (ed.), E. Katsavounidis, K. Scholberg, M. Salamon.

Nucl. Phys. B, Proc. Suppl. 134 (2004) 231 p.

48) Rapporteur talk on direct measurements and origin of cosmic rays.

By R. Battiston.

In *Tsukuba 2003, Frontiers of cosmic ray science, vol. 8* 229-249.

- 49) Measurement of exclusive $\rho^0 \rho^0$ production in mid-virtuality two-photon interactions at LEP.
By L3 Collaboration
Phys.Lett.B604:48-60,2004,. [hep-ex/0410073]
- 50) Inclusive jet production in two-photon collisions at LEP.
By L3 Collaboration
Phys.Lett.B602:157-166,2004,. [hep-ex/0410012]
- 51) Measurement of the cross section of W-boson pair production at LEP.
By L3 Collaboration
Phys.Lett.B600:22-40,2004,. [hep-ex/0409016]
- 52) Measurement of exclusive $\rho^+ \rho^-$ production in high- Q^2 two-photon collisions at LEP.
By L3 Collaboration
Phys.Lett.B597:26-38,2004,. [hep-ex/0407020]
- 53) Search for branons at LEP.
By L3 Collaboration
Phys.Lett.B597:145-154,2004,. [hep-ex/0407017]
- 54) Study of the $e^+ e^- \rightarrow Z \gamma$ process at LEP and limits on triple neutral-gauge-boson couplings.
By L3 Collaboration
Phys.Lett.B597:119-130,2004,. [hep-ex/0407012]
- 55) Measurement of the atmospheric muon spectrum from 20-GeV to 3000-GeV.
By L3 Collaboration
Phys.Lett.B598:15-32,2004,. [hep-ex/0408114]
- 56) A Study of cosmic ray secondaries induced by the Mir space station using AMS-01.
By AMS-01 Collaboration
Nucl.Instrum.Meth.B234:321-332,2005,. [hep-ex/0406065]
- 57) Studies of hadronic event structure in $e^+ e^-$ annihilation from 30-GeV to 209-GeV with the L3 detector.
By L3 Collaboration
Phys.Rept.399:71-174,2004,. [hep-ex/0406049]
- 58) Search for anomalous couplings in the Higgs sector at LEP.
By L3 Collaboration
Phys.Lett.B589:89-102,2004,. [hep-ex/0403037]
- 59) A study of the dimensional stability of the AMS silicon tracker.
By W.J. Burger, et al.,
Nucl.Instrum.Meth.A512:517-538,2003,.
- 60) Muon pair and tau pair production in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B585:53-62,2004,. [hep-ex/0402037]

61) Measurement of triple gauge boson couplings of the W boson at LEP.

By L3 Collaboration

Phys.Lett.B586:151-166,2004,. [hep-ex/0402036]

62) Inclusive lambda production in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B586:140-150,2004,. [hep-ex/0402035]

63) Development of a PMT readout system with Viking chips for the SciFi detector of CALET.

By T. Tamura, et al.,

In *Tsukuba 2003, Cosmic Ray* 2189-2192.

64) Flavor independent search for neutral Higgs bosons at LEP.

By L3 Collaboration

Phys.Lett.B583:14-27,2004,. [hep-ex/0402003]

65) Single photon and multiphoton events with missing energy in e+ e- collisions at LEP.

By L3 Collaboration

Phys.Lett.B587:16-32,2004,. [hep-ex/0402002]

66) Measurement of the Z boson mass using e+ e- ---> Z gamma events at center of mass energies above the Z pole.

By L3 Collaborations

Phys.Lett.B585:42-52,2004,. [hep-ex/0402001]

67) Search for color singlet and color reconnection effects in hadronic Z decays at LEP.

By L3 Collaboration

Phys.Lett.B581:19-30,2004,. [hep-ex/0312026]

68) Atmospheric production of energetic protons, electrons and positrons observed in near earth orbit.

By P. Zuccon, et al.,

Astropart.Phys.20:221-234,2003,.

69) Search for scalar leptons and scalar quarks at LEP.

By L3 Collaboration

Phys.Lett.B580:37-49,2004,. [hep-ex/0310007]

70) Search for doubly charged Higgs bosons at LEP.

By L3 Collaboration

Phys.Lett.B576:18-28,2003,. [hep-ex/0309076]

71) Search for charged Higgs bosons at LEP.

By L3 Collaboration

Phys.Lett.B575:208-220,2003,. [hep-ex/0309056]

72) Z boson pair production at LEP.

By L3 Collaboration

Phys.Lett.B572:133-144,2003,. [hep-ex/0308013]

73) Search for a Higgs boson decaying to weak boson pairs at LEP.

By L3 Collaboration

Phys.Lett.B568:191-204,2003,. [hep-ex/0307010]

74) Proton anti-proton pair production in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B571:11-20,2003,. [hep-ex/0306017]

75) Search for excited leptons at LEP.

By L3 Collaboration

Phys.Lett.B568:23-34,2003,. [hep-ex/0306016]

76) Measurement of exclusive $\rho^0 \rho^0$ production in two photon collisions at high Q^2 at LEP.

By L3 Collaboration

Phys.Lett.B568:11-22,2003,. [hep-ex/0305082]

77) Search for the standard model Higgs boson at LEP.

By LEP Working Group for Higgs boson searches

Phys.Lett.B565:61-75,2003,. [hep-ex/0306033]

78) Search for color reconnection effects in $e^+ e^- \rightarrow W^+ W^- \rightarrow$ hadrons through particle flow studies at LEP.

By L3 Collaboration

Phys.Lett.B561:202-212,2003,. [hep-ex/0303042]

79) Study of the $e^+ e^- \rightarrow Z e^+ e^-$ process at LEP.

By L3 Collaboration

Phys.Lett.B561:73-81,2003,. [hep-ex/0303041]

80) Particle and fundamental physics in space. Proceedings, 1st International Conference, SpacePart'02, La Biodola, Italy, May 14-19, 2002.

By R. Battiston (ed.) & F. Cervelli (ed.).

Nucl.Phys.Proc.Suppl.113:361p,2002,.

81) Radiation damage of electronic components to be used in a space experiment.

By M. Menichelli, et al.,

Nucl.Phys.Proc.Suppl.113:310-313,2002,.

82) Astro particle physics with AMS on the International Space Station.

By R. Battiston.

Nucl.Phys.Proc.Suppl.113:9-17,2002, J.Phys.G29:891-902,2003,.

83) Measurement of W polarization at LEP.

By L3 Collaboration

Phys.Lett.B557:147-156,2003,. [hep-ex/0301027]

84) Inclusive charged hadron production in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B554:105-114,2003,. [hep-ex/0301025]

85) Matter, antimatter and dark matter. Proceedings, 2nd International Workshop, Trento, Italy, October 29-30, 2001.

By R. Battiston (ed.) & B. Bertucci (ed.).

Int. J. Mod. Phys. A17 (2002) 1589-1840.

86) The Alpha Magnetic Spectrometer (AMS) on the International Space Station. I: Results from the test flight on the space shuttle.

By AMS Collaboration

Phys.Rept.366:331-405,2002,Erratum-ibid.380: 97-98,2003,.

87) Search for single top production at LEP.

By L3 Collaboration

Phys.Lett.B549:290-300,2002,. [hep-ex/0210041]

88) Measurement of Bose-Einstein correlations in $e^+ e^- \rightarrow W^+ W^-$ events at LEP.

By L3 Collaboration

Phys.Lett.B547:139-150,2002,. [hep-ex/0209016]

89) Production of single W bosons at LEP and measurement of W W gamma gauge coupling parameters.

By L3 Collaboration

Phys.Lett.B547:151-163,2002,. [hep-ex/0209015]

90) Search for neutral Higgs bosons of the minimal supersymmetric standard model in $e^+ e^-$ interactions at $s^{1/2} = 209$ -GeV.

By L3 Collaboration

Phys.Lett.B545:30-42,2002,. [hep-ex/0208042]

91) AMS-gamma: High energy photon detection with the Alpha Magnetic Spectrometer on the ISS.

By R. Battiston, et al.,

In *L'Aquila 2001, Astroparticle and gamma-ray physics in space* 381-389.

92) The Alpha Magnetic Spectrometer, a particle physics experiment in space.

By R. Battiston.

Int.J.Mod.Phys.A17:1589-1602,2002,.

93) Astro particle physics from space.

By R. Battiston.

In *Garching 2002, Astronomy, cosmology and fundamental physics* 316-333. [astro-ph/0208108]

94) New results on the blade chamber.

By F. Bergsma, et al.,

In *Aachen 1990, Large Hadron Collider, vol. 3* 489-497.

- 95) Measurement of genuine three particle Bose-Einstein correlations in hadronic Z decay.
By L3 Collaboration
Phys.Lett.B540:185-198,2002,. [hep-ex/0206051]
- 96) The $e^+ e^- \rightarrow Z \gamma \gamma \rightarrow q \bar{q} \gamma \gamma$ reaction at LEP and constraints on anomalous quartic gauge boson couplings.
By L3 Collaboration
Phys.Lett.B540:43-51,2002,. [hep-ex/0206050]
- 97) The Alpha Magnetic Spectrometer (AMS).
By AMS Collaboration
Nucl.Instrum.Meth.A478:119-122,2002,.
- 98) Determination of $\alpha(s)$ from hadronic event shapes in $e^+ e^-$ annihilation at $192\text{-GeV} \leq \sqrt{s} \leq 208\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B536:217-228,2002,. [hep-ex/0206052]
- 99) Inclusive D^{*+} production in two photon collisions at LEP.
By L3 Collaboration
Phys.Lett.B535:59-69,2002,. [hep-ex/0204027]
- 100) Λ and Σ^0 pair production in two photon collisions at LEP.
By L3 Collaboration
Phys.Lett.B536:24-33,2002,. [hep-ex/0204025]
- 101) Search for a Higgs boson decaying into two photons at LEP.
By L3 Collaboration
Phys.Lett.B534:28-38,2002,. [hep-ex/0203016]
- 102) Study of multiphoton final states and tests of QED in $e^+ e^-$ collisions at $\sqrt{s} \leq 209\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B531:28-38,2002,. [hep-ex/0202025]
- 103) Study of the $W^+ W^- \gamma$ process and limits on anomalous quartic gauge boson couplings at LEP.
By L3 Collaboration
Phys.Lett.B527:29-38,2002,. [hep-ex/0111029]
- 104) A Monte Carlo simulation of the interactions of cosmic rays with the atmosphere.
By P. Zuccon, et al.,
[astro-ph/0111111] CERN-OPEN-2001-068 (Nov 2001) 10p.
- 105) Double tag events in two photon collisions at LEP.
By L3 Collaboration
Phys.Lett.B531:39-51,2002,. [hep-ex/0111012]
- 106) $f_1(1285)$ formation in two photon collisions at LEP.
By L3 Collaboration

Phys.Lett.B526:269-277,2002,. [hep-ex/0110073]

107) Measurement of charged-particle multiplicity distributions and their $H(q)$ moments in hadronic Z decays at LEP.

By L3 Collaboration

Phys.Lett.B577:109-119,2003,. [hep-ex/0110072]

108) Search for R parity violating decays of supersymmetric particles in $e^+ e^-$ collisions at LEP.

By L3 Collaboration

Phys.Lett.B524:65-80,2002,. [hep-ex/0110057]

109) A Monte Carlo simulation of the interactions of cosmic rays with the atmosphere.

By P. Zuccon, et al.,

CERN-OPEN-2001-068 (Sep 2001) 10p.

110) Inclusive π^0 and $K^0(S)$ production in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B524:44-54,2002,. [hep-ex/0109037]

111) Bose-Einstein correlations of neutral and charged pions in hadronic Z decays.

By L3 Collaboration

Phys.Lett.B524:55-64,2002,. [hep-ex/0109036]

112) Measurement of the topological branching fractions of the tau lepton at LEP.

By L3 Collaboration

Phys.Lett.B519:189-198,2001,. [hep-ex/0107055]

113) Standard model Higgs boson with the L3 experiment at LEP.

By L3 Collaboration

Phys.Lett.B517:319-331,2001,. [hep-ex/0107054]

114) Search for heavy neutral and charged leptons in $e^+ e^-$ annihilation at LEP.

By L3 Collaboration

Phys.Lett.B517:75-85,2001,. [hep-ex/0107015]

115) Search for heavy isosinglet neutrino in $e^+ e^-$ annihilation at LEP.

By L3 Collaboration

Phys.Lett.B517:67-74,2001,. [hep-ex/0107014]

116) Leptons with E greater than 200-MeV trapped in the earth's radiation belts.

By E. Fiandrini, et al.,

[astro-ph/0106241] (Jun 2001) 13p.

117) Total cross-section in gamma gamma collisions at LEP.

By L3 Collaboration

Phys.Lett.B519:33-45,2001,. [hep-ex/0102025]

118) Study of the $e^+ e^- \rightarrow Z \gamma \gamma \rightarrow q \bar{q} \gamma \gamma$ process at LEP.

By L3 Collaboration

Phys.Lett.B505:47-58,2001,. [hep-ex/0102024]

119) Measurement of the tau branching fractions into leptons.

By L3 Collaboration

Phys.Lett.B507:47-60,2001,. [hep-ex/0102023]

120) Recent results from the Alpha Magnetic Spectrometer (AMS) on the STS-91.

By AMS Collaboration

[astro-ph/0101547] (Jul 2000) 12p.

121) Measurement of the charm production cross-section in gamma gamma collisions at LEP.

By L3 Collaboration

Phys.Lett.B514:19-28,2001,. [hep-ex/0101025]

122) The Alpha Magnetic Spectrometer (AMS): A space borne experiment for astroparticle physics.

By R. Battiston.

In *Boston 1998, Particles, strings and cosmology* 208-216.

123) Search for the standard model Higgs boson in e+ e- collisions at $s^{**}(1/2)$ up to 202-GeV.

By L3 Collaboration

Phys.Lett.B508:225-236,2001,. [hep-ex/0012019]

124) Search for neutral Higgs bosons of the minimal supersymmetric standard model in e+ e- interactions at $s^{**}(1/2) = 192\text{-GeV} - 202\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B503:21-33,2001,. [hep-ex/0012017]

125) Measurements of the cross-sections for open charm and beauty production in gamma gamma collisions at $s^{**}(1/2) = 189\text{-GeV}$ to 202-GeV.

By L3 Collaboration

Phys.Lett.B503:10-20,2001,. [hep-ex/0011070]

126) Search for excited leptons in e+ e- interactions at $s^{**}(1/2) = 192\text{-GeV}$ to 202-GeV.

By L3 Collaboration

Phys.Lett.B502:37-50,2001,. [hep-ex/0011068]

127) Cosmic protons.

By AMS Collaboration

Phys.Lett.B490:27-35,2000,.

128) Search for R-parity violating decays of supersymmetric particles in e+ e- collisions at $s^{**}(1/2) = 189\text{-GeV}$.

By L3 Collaboration

Eur.Phys.J.C19:397-414,2001,. [hep-ex/0011087]

129) Higgs candidates in e+ e- interactions at $s^{**}(1/2) = 206.6\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B495:18-25,2000,. [hep-ex/0011043]

- 130) $K_0(S)K_0(S)$ final state in two photon collisions and implications for glueballs.
By L3 Collaboration
Phys.Lett.B501:173-182,2001,. [hep-ex/0011037]
- 131) Light resonances in $K_0(S) K^+ \pi^-$ and $\eta \pi^+ \pi^-$ final states in $\gamma \gamma$ collisions at LEP.
By L3 Collaboration
Phys.Lett.B501:1-11,2001,. [hep-ex/0011035]
- 132) Study of Z boson pair production in $e^+ e^-$ interactions at $s^{**}(1/2) = 192\text{-GeV} - 202\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B497:23-38,2001,. [hep-ex/0010004]
- 133) Leptons in near earth orbit.
By AMS Collaboration
Phys.Lett.B484:10-22,2000,Erratum-ibid.B495: 440,2000,.
- 134) Search for charged Higgs bosons in $e^+ e^-$ collisions at center center-of-mass energies up to 202-GeV.
By L3 Collaboration
Phys.Lett.B496:34-42,2000,. [hep-ex/0009010]
- 135) Measurement of the W pair production cross-section and W decay branching fractions in $e^+ e^-$ interactions at $S^{**}(1/2) = 189\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B496:19-33,2000,. [hep-ex/0008026]
- 136) Measurement of Bose-Einstein correlations in $e^+ e^- \rightarrow W^+ W^-$ at $S^{**}(1/2)$ approximately = 189-GeV.
By L3 Collaboration
Phys.Lett.B493:233-248,2000,. [hep-ex/0008020]
- 137) Search for anomalous couplings in the Higgs sector at LEP.
By L3 Collaboration
Phys.Lett.B489:102-114,2000,. [hep-ex/0008023]
- 138) Measurement of the $W^+ W^- \gamma$ cross-section and direct limits on anomalous quartic gauge boson couplings at LEP.
By L3 Collaboration
Phys.Lett.B490:187-195,2000,. [hep-ex/0008022]
- 139) Search for a Higgs boson decaying into two photons in $e^+ e^-$ interactions at $S^{**}(1/2) = 189\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B489:115-124,2000,. [hep-ex/0008025]
- 140) High precision tracking and charge selection with silicon strip detectors for relativistic ions.
By B. Alpat, et al.,
Nucl.Instrum.Meth.A446:522-535,2000,.

- 141) Determination of γ / Z interference in $e^+ e^-$ annihilation at LEP.
By L3 Collaboration
Phys.Lett.B489:93-101,2000,. [hep-ex/0007006]
- 142) Production of single W bosons at $S^{**}(1/2) = 189\text{-GeV}$ and measurement of $W W \gamma$ gauge couplings.
By L3 Collaboration
Phys.Lett.B487:229-240,2000,. [hep-ex/0007005]
- 143) QCD studies in $e^+ e^-$ annihilation from 30-GeV to 189-GeV .
By L3 Collaboration
Phys.Lett.B489:65-80,2000,. [hep-ex/0005045]
- 144) Search for manifestations of new physics in fermion pair production at LEP.
By L3 Collaboration
Phys.Lett.B489:81-92,2000,. [hep-ex/0005028]
- 145) Search for anomalous $Z Z \gamma$ and $Z \gamma \gamma$ couplings in the process $e^+ e^- \rightarrow Z \gamma$ at LEP.
By L3 Collaboration
Phys.Lett.B489:55-64,2000,. [hep-ex/0005024]
- 146) Measurements of the $b \bar{b}$ production cross-section and forward backward asymmetry at center-of-mass energies above the Z pole at LEP.
By L3 Collaboration
Phys.Lett.B485:71-84,2000,. [hep-ex/0005023]
- 147) A silicon microstrip tracker in space: Experience with the AMS silicon tracker on STS-91.
By J. Alcaraz, et al.,
Nuovo Cim.112A:1325-1343,1999,.
- 148) Search for an invisibly decaying Higgs boson in $e^+ e^-$ collisions at $S^{**}(1/2) = 183\text{-GeV} - 189\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B485:85-94,2000,. [hep-ex/0004006]
- 149) Measurement of the photon structure function at high Q^{**2} at LEP.
By L3 Collaboration
Phys.Lett.B483:373-386,2000,. [hep-ex/0004005]
- 150) The AMS silicon tracker readout: Performance results with minimum ionizing particles.
By B. Alpat, et al.,
Nucl.Instrum.Meth.A439:53-64,2000,.
- 151) Measurement of the lifetime of the tau lepton.
By L3 Collaboration
Phys.Lett.B479:67-78,2000,. [hep-ex/0003023]
- 152) Inclusive σ^+ and σ^0 production in hadronic Z decays.

By L3 Collaboration

Phys.Lett.B479:79-88,2000,. [hep-ex/0002066]

153) Protons in near earth orbit.

By AMS Collaboration

Phys.Lett.B472:215-226,2000,. [hep-ex/0002049]

154) Measurements of cross-sections and forward backward asymmetries at the Z resonance and determination of electroweak parameters.

By L3 Collaboration

Eur.Phys.J.C16:1-40,2000,. [hep-ex/0002046]

155) Search for charginos with a small mass difference with the lightest supersymmetric particle at $S^{**}(1/2) = 189\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B482:31-42,2000,. [hep-ex/0002043]

156) Measurement of the $e^+ e^- \rightarrow Z \gamma \gamma$ cross-section and determination of quartic gauge boson couplings at LEP.

By L3 Collaboration

Phys.Lett.B478:39-49,2000,. [hep-ex/0002037]

157) Measurement of the running of the fine structure constant.

By L3 Collaboration

Phys.Lett.B476:40-48,2000,. [hep-ex/0002035]

158) Measurement of hadron and lepton pair production at 130-GeV less than $S^{**}(1/2)$ less than 189-GeV at LEP.

By L3 Collaboration

Phys.Lett.B479:101-117,2000,. [hep-ex/0002034]

159) Hard photon production and tests of QED at LEP.

By L3 Collaboration

Phys.Lett.B475:198-205,2000,. [hep-ex/0002036]

160) A silicon tracker for the antimatter spectrometer on the International Space Station ALPHA.

By R. Battiston.

In *Saariselkae 1994, Future physics and accelerators* 138-156.

161) High resolution tracking with silicon strip detectors for relativistic ions.

By S.R. Hou, et al.,

Nucl.Instrum.Meth.A435:169-177,1999,.

162) Search for anti-helium in cosmic rays.

By AMS Collaboration

Phys.Lett.B461:387-396,1999,. [hep-ex/0002048]

163) Experiment ALTEA for the International Space Station.

By V. Bidoli, et al.,

In *Salt Lake City 1999, Cosmic ray, vol. 5* 120-123.

164) The AMS silicon tracker: Performance results from STS-91.

By J. Alcaraz, et al.,

In *Salt Lake City 1999, Cosmic ray, vol. 5* 88-91.

165) The Alpha Magnetic Spectrometer for the search for dark matter and antimatter in space and its first flight on the shuttle.

By AMS Collaboration

In *Heidelberg 1998, Dark matter in astrophysics and particle physics 1998* 815- 829.

166) The Capabilities of the alpha magnetic spectrometer as GeV gamma-rays detector.

By R. Battiston.

In *Snowbird 1999, Towards a major atmospheric Cherenkov detector* 474-484. [astro-ph/9911241]

167) Measurement of the probability of gluon splitting into charmed quarks in hadronic Z decays.

By L3 Collaboration

Phys.Lett.B476:243-255,2000,. [hep-ex/9911016]

168) Direct observation of longitudinally polarized W[±] bosons.

By L3 Collaboration

Phys.Lett.B474:194-204,2000,. [hep-ex/0001016]

169) Search for extra dimensions in boson and fermion pair production in e⁺ e⁻ interactions at LEP.

By L3 Collaboration

Phys.Lett.B470:281-288,1999,. [hep-ex/9910056]

170) Search for neutral Higgs bosons of the minimal supersymmetric standard model in e⁺ e⁻ interactions at S^{1/2} = 189-GeV.

By L3 Collaboration

Phys.Lett.B471:321-331,1999,. [hep-ex/9910053]

171) 1994 running experience with the L3 silicon microvertex detector.

By M. Acciarri, et al.,

Nucl.Phys.Proc.Suppl.44:296-302,1995,.

172) Search for excited leptons at S^{1/2} = 189-GeV.

By L3 Collaboration

Phys.Lett.B473:177-185,2000,. [hep-ex/9910021]

173) Searches for scalar quarks in e⁺ e⁻ interactions at S^{1/2} = 189-GeV.

By L3 Collaboration

Phys.Lett.B471:308-320,1999,. [hep-ex/9910020]

174) Single and multiphoton events with missing energy in e⁺ e⁻ collisions at S^{1/2} = 189-GeV.

By L3 Collaboration

Phys.Lett.B470:268-280,1999,. [hep-ex/9910009]

175) Measurement of triple gauge boson couplings of the W boson at LEP.

By L3 Collaboration

Phys.Lett.B467:171-184,1999,. [hep-ex/9910008]

176) Search for charginos and neutralinos in $e^+ e^-$ collisions at $S^{**}(1/2) = 189\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B472:420-433,2000,. [hep-ex/9910007]

177) Search for scalar leptons in $e^+ e^-$ collisions at $S^{**}(1/2) = 189\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B471:280-292,1999,. [hep-ex/9910006]

178) The Gamma-ray detection capabilities of the alpha magnetic spectrometer.

By R. Battiston, M. Biasini, E. Fiandrini, J. Petrakis, M.H. Salamon.

Astropart.Phys.13:51-74,2000,. [astro-ph/9909432]

179) Study of Z Boson Pair Production in $e^+ e^-$ collisions at LEP at $S^{**}(1/2) = 189\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B465:363-375,1999,. [hep-ex/9909043]

180) Search for charged Higgs bosons in $e^+ e^-$ collisions at $s^{**}(1/2) = 189\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B466:71-78,1999,. [hep-ex/9909044]

181) Measurement of $R(b)$ and $Br(b \rightarrow \text{lepton neutrino } X)$ at LEP using double tag methods.

By L3 Collaboration

Eur.Phys.J.C13:47-61,2000,. [hep-ex/9909045]

182) Search for low scale gravity effects in $e^+ e^-$ collisions at LEP.

By L3 Collaboration

Phys.Lett.B464:135-144,1999,. [hep-ex/9909019]

183) Measurement of the spectroscopy of orbitally excited B mesons at LEP.

By L3 Collaboration

Phys.Lett.B465:323-334,1999,. [hep-ex/9909018]

184) Measurement of inclusive D^{*+} production in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B467:137-146,1999,. [hep-ex/9909005]

185) Search for heavy isosinglet neutrinos in $e^+ e^-$ annihilation at 130-GeV less than $S^{**}(1/2)$ less than 189-GeV.

By L3 Collaboration

Phys.Lett.B461:397-404,1999,. [hep-ex/9909006]

186) Search for antimatter in space with the Alpha Magnetic Spectrometer.

By AMS collaboration

In *La Thuile 1999, Results and perspectives in particle physics* 437-451. [astro-ph/9907152]

187) Search for Standard Model Higgs boson in $e^+ e^-$ interactions at $S^{**}(1/2) = 189\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B461:376-386,1999,. [hep-ex/9909004]

188) Search for heavy neutral and charged leptons in $e^+ e^-$ annihilation at $S^{**}(1/2) = 183\text{-GeV}$ and 189-GeV .
By L3 Collaboration
Phys.Lett.B462:354-364,1999,. [hep-ex/9909007]

189) Formation of the $\eta(c)$ in two photon collisions at LEP.
By L3 Collaboration
Phys.Lett.B461:155-166,1999,. [hep-ex/9909008]

190) Measurement of an elongation of the pion source in Z decays.
By L3 Collaboration
Phys.Lett.B458:517-528,1999,. [hep-ex/9909009]

191) Search for R-parity violating chargino and neutralino decays in $e^+ e^-$ collisions up to $S^{**}(1/2) = 183\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B459:354-366,1999,.

192) Search for scalar leptons in $e^+ e^-$ collisions at $S^{**}(1/2) = 183\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B456:283-296,1999,.

193) Measurement of mass and width of the W boson at LEP.
By L3 Collaboration
Phys.Lett.B454:386-398,1999,. [hep-ex/9909010]

194) Status of the L3 silicon microvertex detector.
By O. Adriani, et al.,
Nucl.Phys.Proc.Suppl.32:202-207,1998,.

195) Heavy quarkonium production in Z decays.
By L3 Collaboration
Phys.Lett.B453:94-106,1999,.

196) Measurement of the cross-section for the process $\gamma^* \gamma^* \rightarrow \text{hadrons}$ at LEP.
By L3 Collaboration
Phys.Lett.B453:333-342,1999,.

197) Study of neutral current four fermion and ZZ production in $e^+ e^-$ collisions at $S^{**}(1/2) = 183\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B450:281-293,1999,.

198) $\chi(c_2)$ formation in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B453:73-82,1999,.

199) Inclusive charm production in two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B453:83-93,1999,.

200) The Q^{*2} evolution of the hadronic photon structure function $F(2)\gamma$ at LEP.

By L3 Collaboration

Phys.Lett.B447:147-156,1999,.

201) Measurement of the $e^+ e^- \rightarrow Z \rightarrow b \text{ anti-}b$ forward - backward asymmetry and the B_0 anti- B_0 mixing parameter using prompt leptons.

By L3 Collaboration

Phys.Lett.B448:152-162,1999,.

202) Single and multiphoton events with missing energy in $e^+ e^-$ collisions at $S^{*2}(1/2) = 183$ -GeV.

By L3 Collaboration

Phys.Lett.B444:503-515,1998,.

203) Search for charged Higgs bosons in $e^+ e^-$ collisions at center-of-mass energies between 130-GeV and 183-GeV.

By L3 Collaboration

Phys.Lett.B446:368-377,1999,.

204) QCD results from studies of hadronic events produced in $e^+ e^-$ annihilations at $S^{*2}(1/2) = 183$ -GeV.

By L3 Collaboration

Phys.Lett.B444:569-582,1998,.

205) The Alpha Magnetic Spectrometer (AMS).

By R. Battiston.

Nucl.Instrum.Meth.A409:458-463,1998,.

206) Searches for scalar top and scalar bottom quarks in $e^+ e^-$ interactions at 161-GeV less than equal to $S^{*2}(1/2)$ less than equal to 183-GeV.

By L3 Collaboration

Phys.Lett.B445:428-438,1999,.

207) Measurement of the effective weak mixing angle by jet charge asymmetry in hadronic decays of the Z boson.

By L3 Collaboration

Phys.Lett.B439:225-236,1998,.

208) Upper limit on the lifetime difference of shortlived and longlived $B_0(s)$ mesons.

By L3 Collaboration

Phys.Lett.B438:417-429,1998,.

- 209) High precision measurement of $\Gamma(Z)$ in SLD using large angle $e^+ e^-$ events.
By R. Battiston, M. Pauluzzi, L. Servoli, A. Santocchia.
In *Kirkwood 1989, SLD physics studies* 103- 114.
- 210) Precision measurements of electroweak observables and testing of the standard model.
By R. Battiston.
In *Kirkwood 1989, SLD physics studies* 96- 102.
- 211) QED radiative corrections at the Z0: Theory versus implementation.
By R. Battiston, et al.,
In *Kirkwood 1989, SLD physics studies* 84-95.
- 212) Measurement of the Michel parameters and the average tau-neutrino helicity from tau decays at LEP.
By L3 Collaboration
Phys.Lett.B438:405-416,1998,.
- 213) Measurement of W pair cross-sections in $e^+ e^-$ interactions at $\sqrt{s} = 183\text{-GeV}$ and W decay branching fractions.
By L3 Collaboration
Phys.Lett.B436:437-452,1998,.
- 214) Measurement of radiative Bhabha and quasi-real Compton scattering.
By L3 Collaboration
Phys.Lett.B439:183-196,1998,.
- 215) Test of CP invariance in $Z \rightarrow \mu^+ \mu^- \gamma$ decay.
By L3 Collaboration
Phys.Lett.B436:428-436,1998,.
- 216) Production of single W bosons in $e^+ e^-$ interactions at $130\text{-GeV} \leq \sqrt{s} \leq 183\text{-GeV}$ and limits on anomalous W W γ couplings.
By L3 Collaboration
Phys.Lett.B436:417-427,1998,.
- 217) Study of the hadronic photon structure function F_2^{γ} at LEP.
By L3 Collaboration
Phys.Lett.B436:403-416,1998,.
- 218) Measurement of the inclusive charmless semileptonic branching fraction of beauty hadrons and a determination of $|V_{ub}|$ at LEP.
By L3 Collaboration
Phys.Lett.B436:174-186,1998,.
- 219) Study of anomalous Z Z γ and Z γ γ couplings at LEP.
By L3 Collaboration
Phys.Lett.B436:187-198,1998,.
- 220) Energy straggling and multiple scattering in silicon strip detectors.
By T. Anticic, et al.,

Nucl.Instrum.Meth.A374:309-314,1996,.

221) Photon structure functions and azimuthal correlations of lepton pairs in tagged gamma gamma collisions.

By L3 Collaboration

Phys.Lett.B438:363-378,1998,.

222) Search for neutral Higgs bosons of the minimal supersymmetric standard model in $e^+ e^-$ interactions at $s^{1/2} = 130\text{-GeV} - 183\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B436:389-402,1998,.

223) Search for the standard model Higgs boson in $e^+ e^-$ interactions at $S^{1/2} = 183\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B431:437-450,1998,.

224) Measurement of the anomalous magnetic and electric dipole moments of the tau lepton.

By L3 Collaboration

Phys.Lett.B434:169-179,1998,.

225) Search for new physics phenomena in fermion pair production at LEP.

By L3 Collaboration

Phys.Lett.B433:163-175,1998,.

226) The SSG detectors and the study of low-energy coherent scattering of neutrinos and dark matter.

By R. Battiston.

In *Folgaria 1989, Problems of fundamental modern physics* 377-396.

227) Measurement of tau polarization at LEP.

By L3 Collaboration

Phys.Lett.B429:387-398,1998,.

228) Determination of the number of light neutrino species from single photon production at LEP.

By L3 Collaboration

Phys.Lett.B431:199-208,1998,.

229) Measurement of the $B_0(d) - \text{anti-}B_0(d)$ oscillation frequency.

By L3 Collaboration

Eur.Phys.J.C5:195-203,1998,.

230) Angular multiplicity fluctuations in hadronic Z decays and comparison to QCD models and analytical calculations.

By L3 Collaboration

Phys.Lett.B428:186-196,1998,.

231) Measurement of the weak dipole moments of the tau lepton.

By L3 Collaboration

Phys.Lett.B426:207-216,1998,.

232) Local multiplicity fluctuations in hadronic Z decay.
By L3 Collaboration
Phys.Lett.B429:375-386,1998,.

[Link to the main SPIRES-HEP search page](#)

233) Search for scalar leptons, charginos and neutralinos in $e^+ e^-$ collisions at $s^{**}(1/2) = 161$ -
GeV to 172-GeV.
By L3 Collaboration
Eur.Phys.J.C4:207-219,1998,.

234) Measurement of the average lifetime of b hadrons in Z decays.
By L3 Collaboration
Phys.Lett.B416:220-232,1998,.

235) Measurement of eta-prime (958) formation in two photon collisions at LEP-1.
By L3 Collaboration
Phys.Lett.B418:399-410,1998,.

236) Neutral current four fermion production in $e^+ e^-$ interactions at $130\text{-GeV} \leq s^{**}(1/2) \leq$
172-GeV.
By L3 Collaboration
Phys.Lett.B413:191-200,1997,.

237) The Alpha magnetic spectrometer (AMS): Search for antimatter and dark matter on the
International Space Station.
By R. Battiston.
Nucl.Phys.Proc.Suppl.65:19-26,1998,. [hep-ex/9708039]

238) Search for R-parity breaking sneutrino exchange at LEP.
By L3 Collaboration
Phys.Lett.B414:373-381,1997,.

239) Measurements of mass, width and gauge couplings of the W boson at LEP.
By L3 Collaboration
Phys.Lett.B413:176-190,1997,.

240) Missing mass spectra in hadronic events from $e^+ e^-$ collisions at $s^{**}(1/2) = 161$ -GeV -
172-GeV and limits on invisible Higgs decay.
By L3 Collaboration
Phys.Lett.B418:389-398,1998,.

241) Search for the standard model Higgs boson in $e^+ e^-$ interactions at $161\text{-GeV} \leq s^{**}(1/2)$
 $\leq 172\text{-GeV}$.
By L3 Collaboration
Phys.Lett.B411:373-386,1997,.

242) Search for new physics in energetic single photon production in $e^+ e^-$ annihilation at the
Z resonance.

By L3 Collaboration
Phys.Lett.B412:201-209,1997,.

243) Upsilon production in Z decays.

By L3 Collaboration
Phys.Lett.B413:167-175,1997,.

244) Hard photon production at $s^{**}(1/2) = 161\text{-GeV}$ and 172-GeV at LEP.

By L3 Collaboration
Phys.Lett.B413:159-166,1997,.

245) Single and multiphoton events with missing energy in $e^+ e^-$ collisions at $161\text{-GeV} < s^{**}(1/2) < 172\text{-GeV}$.

By L3 Collaboration
Phys.Lett.B415:299-310,1997,.

246) Search for heavy neutral and charged leptons in $e^+ e^-$ annihilation at $s^{**}(1/2) = 161\text{-GeV}$ and $s^{**}(1/2) = 172\text{-GeV}$.

By L3 Collaboration
Phys.Lett.B412:189-200,1997,.

247) Study of hadronic events and measurements of α_s between 30-GeV and 91-GeV .

By L3 Collaboration
Phys.Lett.B411:339-353,1997,.

248) Resonance formation in the $\pi^+ \pi^- \pi^0$ final state in two photon collisions.

By L3 Collaboration
Phys.Lett.B413:147-158,1997,.

249) Measurement of W pair cross-sections in $e^+ e^-$ interactions at $s^{**}(1/2) = 172\text{-GeV}$ and W decay branching fractions.

By L3 Collaboration
Phys.Lett.B407:419-431,1997,.

250) Search for anomalous four jet events in $e^+ e^-$ annihilation at $s^{**}(1/2) = 130\text{-GeV}$ to 172-GeV .

By L3 Collaboration
Phys.Lett.B411:330-338,1997,.

251) Measurement of hadron and lepton pair production at $161\text{-GeV} < s^{**}(1/2) < 172\text{-GeV}$ at LEP.

By L3 Collaboration
Phys.Lett.B407:361-376,1997,.

252) $K(s)0$ and Lambda production in quark and gluon jets at LEP.

By L3 Collaboration
Phys.Lett.B407:389-401,1997, Erratum-ibid.B427:409-412,1998,.

253) Cross-section of hadron production in $\gamma \gamma$ collisions at LEP.

By L3 Collaboration

Phys.Lett.B408:450-464,1997,.

254) Inclusive J / psi, psi-prime and chi(c) production in hadronic Z decays.

By L3 Collaboration

Phys.Lett.B407:351-360,1997,.

255) Production of e, mu and tau pairs in untagged two photon collisions at LEP.

By L3 Collaboration

Phys.Lett.B407:341-350,1997,.

256) QCD studies and determination of alpha-s in e+ e- collisions at $s^{**}(1/2) = 161\text{-GeV}$ and 172-GeV .

By L3 Collaboration

Phys.Lett.B404:390-402,1997,.

257) Power supply system for the tracker detector of the AMS experiment.

By M. Menichelli, et al.,

INFN-AE-96-43 (Dec 1996) 5p.

258) Astroparticle physics with the Alpha Magnetic Spectrometer (AMS).

By R Battiston.

In *Vulcano 1996, Frontier objects in astrophysics and particle physics* 543-559.

259) Production of Single W Bosons at LEP.

By L3 Collaboration

Phys.Lett.B403:168-176,1997,.

260) Pair production of W bosons in e+ e- interactions at $s^{**}(1/2) = 161\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B398:223-238,1997,.

261) Search for excited leptons in e+ e- annihilation at $s^{**}(1/2) = 161\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B401:139-149,1997,.

262) The Development of the kapton signal router for the silicon microstrips detector of L3.

By G. Ambrosi, et al.,

Nucl.Instrum.Meth.A361:97-100,1995,.

263) Measurement of $D(s) \rightarrow \tau^- \text{ anti-}\tau^+ \text{ neutrino}$ and a new limit for $B \rightarrow \tau^- \text{ anti-}\tau^+ \text{ neutrino}$.

By L3 Collaboration

Phys.Lett.B396:327-337,1997,.

264) Measurement of inclusive omega and eta-prime production in hadronic Z decays.

By L3 Collaboration

Phys.Lett.B393:465-476,1997,.

265) Study of the weak charged hadronic current in b decays.

By L3 Collaboration

Phys.Lett.B393:477-486,1997,.

266) Search for neutral B meson decays to two charged leptons.

By L3 Collaboration

Phys.Lett.B391:474-480,1997,.

267) Search for exclusive B decays to J / psi and eta or pi0 with the L3 detector.

By L3 Collaboration

Phys.Lett.B391:481-490,1997,.

268) The Readout and DAQ system of the L3 silicon microstrip detector.

By G. Ambrosio, et al.,

Nucl.Instrum.Meth.A360:318-321,1995,.

269) The L3 silicon microvertex detector.

By L3 SMD Collaboration

Nucl.Instrum.Meth.A360:103-109,1995,.

270) Control parameters analysis for the L3 SMD manufacturing process.

By G. Ambrosi, et al.,

UB-PUB-EPPG-PHYS-23 (Apr 1995) 17p.

271) Measurement of the lifetime of the tau lepton.

By L3 Collaboration

Phys.Lett.B389:187-196,1996,.

272) Search for neutral Higgs boson production through the process $e^+ e^- \rightarrow Z^* H_0$.

By L3 Collaboration

Phys.Lett.B385:454-470,1996,.

273) Measurement of the B(d)0 meson oscillation frequency.

By L3 Collaboration

Phys.Lett.B383:487-498,1996,.

274) Perspectives of K decay physics at a Phi factory.

By R. Battiston.

Nucl.Phys.Proc.Suppl.24A:57-67,1991,.

275) Measurement of the branching ratios $b \rightarrow e \text{ neutrino } X$, $\mu \text{ neutrino } X$, $\tau \text{-neutrino } X$ and $\text{neutrino } X$.

By L3 Collaboration

Z.Phys.C71:379-390,1996,.

276) Observation of multiple hard photon final states at $s^{**}(1/2) = 130\text{-GeV} - 140\text{-GeV}$ at LEP.

By L3 Collaboration

Phys.Lett.B384:323-332,1996,.

277) Search for new particles in hadronic events with isolated photons.

By L3 Collaboration

Phys.Lett.B388:409-418,1996,.

278) Measurement of the Michel parameters and the average tau-neutrino helicity from tau decays in $e^+ e^- \rightarrow \tau^+ \tau^-$.

By L3 Collaboration

Phys.Lett.B377:313-324,1996,.

279) Search for unstable sequential neutral and charged heavy leptons in $e^+ e^-$ annihilation at $s^{1/2} = 130\text{-GeV}$ and 136-GeV .

By L3 Collaboration

Phys.Lett.B377:304-312,1996,.

280) Search for supersymmetric particles at $130\text{-GeV} < s^{1/2} < 140\text{-GeV}$ at LEP.

By L3 Collaboration

Phys.Lett.B377:289-303,1996,.

281) Manufacturing process of a silicon half ladder microvertex detector.

By T. Angelescu, et al.,

UB-PUB-EPPG-PHYS-32 (Mar 1996) 6p.

282) Measurement of muon pair production at $50\text{-GeV} < s^{1/2} < 86\text{-GeV}$ at LEP.

By L3 Collaboration

Phys.Lett.B374:331-340,1996,.

283) Study of the structure of hadronic events and determination of α_s at $s^{1/2} = 130\text{-GeV}$ and 136-GeV .

By L3 Collaboration

Phys.Lett.B371:137-148,1996,.

284) Measurement of hadron and lepton pair production at $130\text{-GeV} < s^{1/2} < 140\text{-GeV}$ at LEP.

By L3 Collaboration

Phys.Lett.B370:195-210,1996,.

285) Search for excited leptons in $e^+ e^-$ annihilation at $s^{1/2} = 130\text{-GeV} - 140\text{-GeV}$.

By L3 Collaboration

Phys.Lett.B370:211-221,1996,.

286) Measurement of eta production in two and three jet events from hadronic Z decays at LEP.

By L3 Collaboration

Phys.Lett.B371:126-136,1996,.

287) Search for the decays $B(d)0 \rightarrow \gamma \gamma$ and $B(s)0 \rightarrow \gamma \gamma$.

By L3 Collaboration

Phys.Lett.B363:137-144,1995,.

288) Search for neutral charmless B decays at LEP.

By L3 Collaboration

Phys.Lett.B363:127-136,1995,.

289) The Design and construction of a double sided silicon microvertex detector for the L3 experiment at CERN.

By J.S. Kapustinsky, et al.,
IEEE Trans.Nucl.Sci.41:772-778,1994,.

290) Performance on test beam of the L3 double sided silicon microstrip detector.

By A. Adam, et al.,
Nucl.Instrum.Meth.A348:436-439,1994,.

291) The New double sided silicon microvertex detector for the L3 experiment.

By O. Adriani, et al.,
Nucl.Instrum.Meth.A348:431-435,1994,.

292) Study of the $K(s)0 K(s)0$ final state in two photon collisions.

By L3 Collaboration
Phys.Lett.B363:118-126,1995,.

293) One prong tau decays with neutral kaons.

By L3 Collaboration
Phys.Lett.B352:487-497,1995,.

294) Evidence for gluon interference in hadronic Z decays.

By L3 Collaboration
Phys.Lett.B353:145-154,1995,.

295) An Antimatter spectrometer in space.

By S.P. Ahlen, et al.,
Nucl.Instrum.Meth.A350:351-367,1994,.

296) A Silicon tracker for the antimatter spectrometer on the international space station Alpha.

By R. Battiston.
Nucl.Phys.Proc.Suppl.44:274-281,1995,.

297) Tests of QED at LEP energies using $e^+ e^- \rightarrow \gamma \gamma$ (γ) and $e^+ e^- \rightarrow \text{lepton}^+ \text{lepton}^- \gamma \gamma$.

By L3 Collaboration
Phys.Lett.B353:136-144,1995,.

298) Search for neutralinos in Z decays.

By L3 Collaboration
Phys.Lett.B350:109-119,1995,.

299) Ultrathin, high precision flex cable for the L3 silicon microvertex detector.

By D. DiBitonto, et al.,
Nucl.Instrum.Meth.A338:404-412,1994,.

300) Measurement of the weak charged current structure in semileptonic b hadron decays at the Z peak.

By L3 Collaboration

Phys.Lett.B351:375-386,1995,.

301) Measurement of energetic single photon production at LEP.

By L3 Collaboration

Phys.Lett.B346:190-198,1995,.

302) Search for anomalous $Z \rightarrow \gamma \gamma \gamma$ events at LEP.

By L3 Collaboration

Phys.Lett.B345:609-616,1995,.

303) Measurement of exclusive branching fractions of hadronic one space prong tau decays.

By L3 Collaboration

Phys.Lett.B345:93-102,1995,.

304) Energy and particle flow in three jet and radiative two jet events from hadronic Z decays.

By L3 Collaboration

Phys.Lett.B345:74-84,1995,.

305) B^* production in Z decays at LEP.

By L3 Collaboration

Phys.Lett.B345:589-597,1995,.

306) A Measurement of tau polarization at LEP.

By L3 Collaboration

Phys.Lett.B341:245-256,1994,.

307) The L3 silicon microvertex detector.

By L3 SMD Collaboration

Nucl.Instrum.Meth.A351:300-312,1994,.

308) Experience with the SVX-H chip in the construction of the L3 silicon microvertex detector.

By B. Bertucci, et al.,

Nucl.Instrum.Meth.A344:216-219,1994,.

309) Design and construction of double sided silicon ladders for the L3 microvertex detector.

By A. Santocchia, et al.,

Nucl.Instrum.Meth.A344:133-136,1994,.

310) Measurement of the $B^0 - \text{anti-}B^0$ mixing parameter and the $Z \rightarrow b \text{ anti-}b$ forward - backward asymmetry.

By L3 Collaboration

Phys.Lett.B335:542-553,1994,.

311) The Silicon tracking upgrade of L3 for LEP-200.

By M. Juntunen, et al.,

HU-SEFT-RD-1994-02 (n.d.) 34p.

312) Addendum to detector tests in a high magnetic field and muon spectrometer triggering studies on a small prototype for an LHC experiment: Proposal submitted to the Detector R & D Committee.

By G. Ambrosi, et al.,
CERN-DRDC-90-66 (Oct 1990) 21p.

313) Detector tests in a high magnetic field and muon spectrometer triggering studies on a small prototype for an LHC experiment: Proposal submitted to the Detector R & D Committee.

By G. Ambrosi, et al.,
CERN-DRDC-90-42 (Aug 1990) 25p.

314) Measurement of the inclusive $B \rightarrow \tau \nu$ branching ratio.

By L3 Collaboration
Phys.Lett.B332:201-208,1994,.

315) Measurement of inclusive production of neutral hadrons from Z decays.

By L3 Collaboration
Phys.Lett.B328:223-233,1994,.

316) Measurement of cross-sections and leptonic forward - backward asymmetries at the z pole and determination of electroweak parameters.

By L3 Collaboration
Z.Phys.C62:551-576,1994,.

317) A Study of four fermion processes at LEP.

By L3 Collaboration
Phys.Lett.B321:283-294,1994,.

318) Measurement of $\eta(c)$ production in untagged two photon collisions at LEP.

By L3 Collaboration
Phys.Lett.B318:575-582,1993,.

319) Test beam results from the prototype L3 silicon microvertex detector.

By A. Adam, et al.,
Nucl.Instrum.Meth.A344:521-528,1994,.

320) $\chi(c)$ production in hadronic Z decays.

By L3 Collaboration
Phys.Lett.B317:467-473,1993,.

321) Measurement of the average lifetime of b hadrons.

By L3 Collaboration
Phys.Lett.B317:474-484,1993,.

322) Search for lepton flavor violation in Z decays.

By L3 Collaboration
Phys.Lett.B316:427-434,1993,.

323) An S matrix analysis of the Z resonance.

By L3 Collaboration

Phys.Lett.B315:494-502,1993,.

324) Measurement of the charged multiplicity of $Z^0 \rightarrow b \text{ anti-}b$ events.

By SLD Collaboration

Phys.Rev.Lett.72:3145-3149,1994,. [hep-ex/9405004]

325) A Study of jet handedness at the Z^0 resonance.

By SLD Collaboration

In *Marseille 1993, Proceedings, High energy physics* 306-308. and SLAC Stanford - SLAC-PUB-6362 (93/10,rec.Dec.) 3 p. C.

326) A Measurement of $R(b) = \Gamma(Z^0 \rightarrow b \text{ anti-}b) / \Gamma(Z^0 \rightarrow \text{hadrons})$ at SLD.

By SLD Collaboration

SLAC-PUB-6292 (Sep 1993) 10p.

327) Inclusive search for the charmless radiative decay of the b quark ($b \rightarrow s \gamma$).

By L3 Collaboration

Phys.Lett.B317:637-646,1993,.

328) Determination of the effective electroweak mixing angle from Z decay.

By L3 Collaboration

Phys.Lett.B309:451-462,1993,.

329) SLD results from the study of polarized Z^0 produced at the SLC.

By SLD Collaboration

La Thuile Rencontres 1993:333-350.

330) A Measurement of α_s from jet rates at the Z^0 resonance.

By SLD Collaboration

Phys.Rev.Lett.71:2528-2532,1993,.

331) Studies of QCD B physics and jet handedness at SLD.

By SLD Collaboration

In *Les Arcs 1993, Proceedings, QCD and high energy hadronic interactions* 399-405. and SLAC Stanford - SLAC-PUB-6225 (93/06,rec.Oct.) 12 p. C.

332) First measurement of the left-right asymmetry in Z boson production.

By SLD Collaboration

Mod.Phys.Lett.A8:2237-2248,1993,.

333) Measurement of $\Gamma(b \text{ anti-}b) / \Gamma(\text{had})$ from hadronic decays of the Z .

By L3 Collaboration

Phys.Lett.B307:237-246,1993,.

334) Search for a Z -prime at the Z resonance.

By L3 Collaboration

Phys.Lett.B306:187-196,1993,.

335) Search for narrow vector resonances in the Z mass range.

By L3 Collaboration

Phys.Lett.B313:326-332,1993,.

336) High precision measurement of the total Z^0 width using large angle $e^+ e^-$ events.

By R. Battiston, M. Pauluzzi, L. Servoli, A. Santocchia.

In *Brighton 1989, Proceedings, Radiative corrections* 121-139. (see HIGH ENERGY PHYSICS INDEX 29 (1991) No. 8663).

337) A Search for the neutral Higgs boson at LEP.

By L3 Collaboration

Phys.Lett.B303:391-399,1993,.

338) Results from the L3 experiment at LEP.

By L3 Collaboration

Phys.Rept.236:1-146,1993,.

339) The Design of the L3 silicon microvertex detector.

By B. Alpat, et al.,

Nucl.Instrum.Meth.A315:197-200,1992,.

340) A Preliminary measurement of $R(b) = \Gamma(Z^0 \rightarrow b \text{ anti-}b) / \Gamma(Z^0 \rightarrow \text{hadrons})$ at SLD.

By SLD Collaboration

In *Batavia 1992, Proceedings, The Fermilab meeting DPF 92, vol. 1* 342-347. and SLAC Stanford - SLAC-PUB-5972 (92/11,rec.May 93) 8 p. C.

341) Determination of quark electroweak couplings from direct photon production in hadronic Z decays.

By L3 Collaboration

Phys.Lett.B301:136-144,1993,.

342) Search for anomalous production of single photon events in $e^+ e^-$ annihilations at the Z resonance.

By L3 Collaboration

Phys.Lett.B297:469-476,1992,.

343) SLD hadron calorimeter with limited streamer tubes: Prototype test results.

By L. Piemontese, et al.,

ECONF C851031:023,1985,.

344) First results from SLD with polarized electron beam at SLC.

By SLD Collaboration

In *Stanford 1992, The third family and the physics of flavor* 341-357.

345) First measurement of the left-right cross-section asymmetry in Z boson production by $e^+ e^-$ collisions.

By SLD Collaboration

Phys.Rev.Lett.70:2515-2520,1993,.

346) Measurements of spin sensitive quantities in hadronic decays of Z^0 bosons produced in $e^+ e^-$ annihilations.

By SLD Collaboration
Nagoya Spin Wkshp.1992:643-648.

347) Search for nonminimal Higgs bosons in Z0 decays.
By L3 Collaboration
Z.Phys.C57:355-382,1993,.

348) L3P: Lepton and photon precision physics.
By L3P Collaboration
Nucl.Instrum.Meth.A325:23-91,1993,.

349) High mass photon pairs in lepton+ lepton- gamma gamma events at LEP.
By L3 Collaboration
Phys.Lett.B295:337-346,1992,.

350) Search for isosinglet neutral heavy leptons in Z0 decays.
By L3 Collaboration
Phys.Lett.B295:371-382,1992,.

351) Searches for nonminimal Higgs bosons in Z0 decays.
By L3 Collaboration
Phys.Lett.B294:457-465,1992,.

352) QCD studies of hadronic decays of Z0 bosons by SLD.
By SLD Collaboration
Dallas HEP 1992:892-898.

353) A Measurement of tau polarization in Z0 decays.
By L3 Collaboration
Phys.Lett.B294:466-478,1992,.

354) Isolated hard photon emission in hadronic Z0 decays.
By L3 Collaboration
Phys.Lett.B292:472-484,1992,.

355) Determination of the number of light neutrino species.
By L3 Collaboration
Phys.Lett.B292:463-471,1992,.

356) Measurement of the $e^+ e^- \rightarrow b \bar{b}$ and $e^+ e^- \rightarrow c \bar{c}$ forward backward asymmetries at the Z0 resonance.
By L3 Collaboration
Phys.Lett.B292:454-462,1992,.

357) First measurement of the left-right cross-section asymmetry in Z boson production at $E(\text{cm}) = 91.5\text{-GeV}$.
By SLD Collaboration
Dallas HEP 1992:708-715.

358) Inclusive J production in Z0 decays.

By L3 Collaboration
Phys.Lett.B288:412-420,1992,.

359) A Test of quantum electrodynamics in the reaction $e^+ e^- \rightarrow \gamma \gamma$ (γ).
By L3 Collaboration
Phys.Lett.B288:404-411,1992,.

360) Measurement of inclusive eta production in hadronic decays of the Z0.
By L3 Collaboration
Phys.Lett.B286:403-412,1992,.

361) An Improved measurement of B0 - anti-B0 mixing in Z0 decays.
By L3 Collaboration
Phys.Lett.B288:395-403,1992,.

362) Studies of hadronic event structure and comparisons with QCD models at the Z0 resonance.
By L3 Collaboration
Z.Phys.C55:39-62,1992,.

363) Search for the neutral Higgs boson at LEP.
By L3 Collaboration
Phys.Lett.B283:454-464,1992,.

364) Determination of alpha-s from hadronic event shapes measured on the Z0 resonance.
By L3 Collaboration
Phys.Lett.B284:471-481,1992,.

365) First QCD results from SLD.
By SLD Collaboration
In *Les Arcs 1992, Proceedings, Perturbative QCD and hadronic interactions* 43-48, and SLAC Stanford - SLAC-PUB-5802 (92/04,rec.Aug.) 9 p. (see Conference Index).

366) The Limited streamer tubes system for the SLD warm iron calorimeter.
By A.C. Benvenuti, et al.,
Capri Calorim.HEP 1991:0474-478.

367) A Direct determination of the number of light neutrino families from $e^+ e^- \rightarrow \nu \bar{\nu} \gamma$ at LEP.
By L3 Collaboration
Phys.Lett.B275:209-221,1992,.

368) Search for lepton flavor violation in Z0 decays.
By L3 Collaboration
Phys.Lett.B271:453-460,1991,.

369) Measurement of the strong coupling constant alpha-s for bottom quarks at the Z0 resonance.
By L3 Collaboration
Phys.Lett.B271:461-467,1991,.

- 370) Measurement of the lifetime of B hadrons and a determination of $|V(cb)|$.
By L3 Collaboration
Phys.Lett.B270:111-122,1991,.
- 371) Decay properties of tau leptons measured at the Z0 resonance.
By L3 Collaboration
Phys.Lett.B265:451-461,1991,.
- 372) Precision measurements of electroweak observables and testing of the standard model.
By R. Battiston.
Nuovo Cim.A103:1675-1680,1990,.
- 373) Advances in technology for high-energy subnuclear physics: Contribution of the LAA project.
By LAA Collaboration
Riv.Nuovo Cim.13N10-11:1-228,1990,.
- 374) A New gaseous detector for tracking: The Blade chamber. LAA-LAD Group.
By G. Susinno, et al.,
Nucl.Instrum.Meth.A289:351-355,1990,.
- 375) Status and preliminary performance with cosmic data of the warm iron calorimeter in SLD.
By SLD-WIC Collaboration
San Miniato Apparatus 1990:252-261.
- 376) A Wireless limited streamer chamber: The blade chamber.
By G. Ambrosi, et al.,
Part.World 1:80-84,1990,.
- 377) Status and perspectives of K decay physics.
By R. Battiston, D. Cocolicchio, Gian Luigi Fogli, N. Paver.
Phys.Rept.214:293-338,1992,.
- 378) A STUDY OF NONFLAMMABLE ARCO-2 HYDROCARBON GAS MIXTURES FOR LIMITED STREAMER TUBES.
By R. Battiston, et al.,
Nucl.Instrum.Meth.A277:269-278,1989,.
- 379) THE LIMITED STREAMER TUBES OF THE SLD.
By A.C. Benvenuti, et al.,
Nucl.Instrum.Meth.A290:353,1990,.
- 380) HIGH PRECISION MEASUREMENT OF GAMMA (Z) USING LARGE ANGLE $e^+ e^-$ EVENTS.
By R. Battiston, M. Pauluzzi, L. Servoli, A. Santocchia.
Z.Phys.C46:329,1990,.
- 381) SURVEY OF THE RESPONSE OF STANDARD LIMITED STREAMER TUBES OVER THE COMPLETE RANGE OF THREE COMPONENT GAS MIXTURES OF ISOBUTANE, CO-2, ARGON.

By CL-WIC Collaboration
Nucl.Instrum.Meth.A289:449-462,1990,.

382) THE SLD CALORIMETER SYSTEM.
By A.C. Benvenuti, et al.,
Nucl.Instrum.Meth.A289:463-467,1990,.

383) A NONFLAMMABLE GAS MIXTURE FOR PLASTIC LIMITED STREAMER TUBES.
By A.C. Benvenuti, et al.,
Nucl.Instr.Meth.A284:339,1989,.

384) The LAA Project.
By LAA Collaboration
Riv.Nuovo Cim.13N5:1-131,1990,.

385) A STATUS REPORT ON THE SLD DATA ACQUISITION SYSTEM.
By SLD Collaboration
IEEE Trans.Nucl.Sci.36:23-28,1989,.

386) MEASUREMENT OF THE STRONG COUPLING CONSTANT α_s FROM A STUDY OF W
BOSONS PRODUCED IN ASSOCIATION WITH JETS.
By UA2 Collaboration
Phys.Lett.B215:175,1988,.

387) DIRECT PHOTON PRODUCTION IN anti-p p COLLISIONS AT $s^{1/2} = 630$ -GeV.
By UA2 Collaboration
Z.Phys.C41:395,1988,.

388) THE IRON CALORIMETER AND MUON IDENTIFIER FOR SLD.
By A.C. Benvenuti, et al.,
Nucl.Instr.Meth.A276:94,1989,.

389) STUDY OF NONFLAMMABLE, FAST CF-4 BASED MIXTURES FOR LIMITED STREAMER
TUBES.
By B. Alpat, et al.,
Nucl.Instrum.Meth.A277:260-268,1989,.

390) A NONFLAMMABLE GAS MIXTURE FOR PLASTIC LIMITED STREAMER TUBES.
By S. Cartwright, et al.,
SLAC-REPRINT-1988-012 (Aug 1988) 21p.

391) DESIGN OF A LABORATORY EXPERIMENT TO TEST NEWTON'S LAW IN THE RANGE
 10^{-1} -METERS - 10^{-3} -METERS.
By Roberto Battiston.
Moriond Workshop 1988: Astrophys.:0549.

392) PRELIMINARY RESULTS FROM STUDIES OF LIMITED STREAMER TUBES WITH
EXTERNAL ELECTRODE READOUT.
By G. Callegari, et al.,
SLAC-PUB-4461 (Oct 1987) 17p.

393) SEARCH FOR EXOTIC PROCESSES AT THE CERN p anti-p COLLIDER.

By UA2 Collaboration

Phys.Lett.B195:613,1987,.

394) LARGE TRANSVERSE MOMENTUM ELECTRONS AT THE CERN SPS P ANTI-P COLLIDER.

By UA2 COLLABORATION

In *Santillana Del Mar 1984, Proceedings, Fundamental Physics*, 405-435.

395) JET MEASURES AND HADRONIC EVENT SHAPES AT THE CERN anti-p p COLLIDER.

By UA2 Collaboration

Z.Phys.C36:175,1987,.

396) Measurement of W and Z Production Properties at the CERN anti-p p Collider.

By UA2 Collaboration

Phys.Lett.B194:158,1987,.

397) ON THE SEARCH FOR NONNEWTONIAN FORCES IN THE 1-M TO 1000-M RANGE.

By R. Battiston & G. Mantovani.

DFUPG-2-87 (Jan 1987) 8p.

398) ASSOCIATED MULTIPLICITIES IN μ PAIR EVENTS AT THE ISR.

By D. Antreasyan, et al.,

Nuovo Cim.A99:595,1988,.

399) Measurement of the Standard Model Parameters from a Study of W and Z Bosons.

By UA2 Collaboration

Phys.Lett.B186:440,1987,.

400) SEARCH FOR DECAYS OF THE W^{+-} AND Z BOSONS INTO QUARK - ANTI-QUARK PAIRS.

By UA2 Collaboration

Phys.Lett.B186:452,1987,.

401) W^{+-} AND Z^0 PRODUCTION IN UA2 AND TESTS OF THE STANDARD MODEL.

By UA2 COLLABORATION

In *Kazimierz 1985, Proceedings, Elementary Particle Physics*, 29-63.

402) DIRECT PHOTON PRODUCTION AT THE CERN anti-p p COLLIDER.

By UA2 Collaboration

Phys.Lett.B176:239,1986,.

403) PERFORMANCE OF THE SLD WARM IRON CALORIMETER PROTOTYPE.

By G. Callegari, et al.,

IEEE Trans.Nucl.Sci.33:201-204,1986,.

404) HIGH TRANSVERSE MOMENTUM ELECTRONS IN THE UA2 EXPERIMENT.

By UA2 COLLABORATION

In *Kazimierz 1984, Proceedings, Elementary Particle Physics*, 9-58.

405) A STUDY OF THREE JET EVENTS AT THE CERN anti-p p COLLIDER.

By UA2 Collaboration
Z.Phys.C30:341,1986,.

406) Measurement of W^{+-} and Z^0 Properties at the CERN anti-p p Collider.

By UA2 Collaboration
Z.Phys.C30:1,1986,.

407) EXPERIMENTAL STUDY OF THE EMERGENCE OF TWO JET DOMINANCE IN anti-p p COLLISIONS AT $S^{1/2} = 630$ -GeV.

By UA2 Collaboration
Phys.Lett.B165:441,1985,.

408) Measurement of the $s^{1/2}$ Dependence of Jet Production at the CERN anti-p p Collider.

By UA2 Collaboration
Phys.Lett.B160:349,1985,.

409) MEASUREMENT OF ELASTIC SCATTERING AND OF THE TOTAL CROSS-SECTION AT THE CERN P ANTI-P COLLIDER.

By UA4 COLLABORATION

In *Santiago De Compostela 1982, Proceedings, Nucleon Antinucleon and Quark Antiquark Interactions*, 128-136.

410) THE 'ROMAN POT' SPECTROMETER AND THE VERTEX DETECTOR OF EXPERIMENT UA4 AT THE CERN SPS COLLIDER.

By Amsterdam-CERN-Genoa-Naples-Pisa Collaboration
Nucl.Instr.Meth.A238:35,1985,.

411) STUDY OF ELECTRON PAIRS BELOW THE Z^0 MASS PRODUCED IN anti-p p COLLISIONS AT $S^{1/2} = 540$ -GeV.

By UA2 Collaboration
Phys.Lett.B154:338,1985,.

412) Measurement of Jet Production Properties at the CERN anti-p p Collider.

By UA2 Collaboration
Phys.Lett.B144:283,1984,.

413) MEASUREMENT OF JET FRAGMENTATION PROPERTIES AT THE CERN anti-p p COLLIDER.

By UA2 Collaboration
Phys.Lett.B144:291,1984,.

414) HADRON JETS AND LARGE TRANSVERSE MOMENTUM ELECTRONS AT THE SPS ANTI-P P COLLIDER.

By UA2 COLLABORATION

In *Toledo 1983, Proceedings, Fundamental Physics*, 49-79 In *Erice 1983, Proceedings, Electroweak Effects At High Energies*, 1-28.

415) MEASUREMENT OF ELASTIC SCATTERING AND OF THE TOTAL CROSS-SECTION AT THE CERN P ANTI-P COLLIDER.

By J. Velasco, et al.,

In *Toledo 1983, Proceedings, Fundamental Physics*, 79-105.

416) ELASTIC SCATTERING AND TOTAL CROSS-SECTION AT THE CERN COLLIDER.

By UA4 COLLABORATION

In *Rome 1983, Proceedings, Proton Antiproton Collider Physics*, 237-250.

417) A Study of High Transverse Momentum Electrons Produced in anti-p p Collisions at 540-GeV.

By UA2 Collaboration

Z.Phys.C24:1,1984,.

418) Observation of Electrons Produced in Association with Hard Jets and Large Missing Transverse Momentum in p anti-p Collisions at $s^{1/2} = 540\text{-GeV}$.

By Bern-CERN-Copenhagen-Orsay-Pavia-Saclay Collaboration

Phys.Lett.B139:105,1984,.

419) Measurement of Very Large Transverse Momentum Jet Production at the CERN anti-p p Collider.

By UA2 Collaboration

Phys.Lett.B138:430,1984,.

420) Evidence for $Z^0 \rightarrow e^+ e^-$ at the CERN anti-p p Collider.

By UA2 Collaboration

Phys.Lett.B129:130-140,1983,.

421) Measurement of Production and Properties of Jets at the CERN anti-p p Collider.

By UA2 Collaboration

Z.Phys.C20:117,1983,.

422) PROTON - ANTI-PROTON ELASTIC SCATTERING AT FOUR MOMENTUM TRANSFER UP TO 0.5-GeV^2 AT THE CERN SPS COLLIDER.

By UA4 Collaboration

Phys.Lett.B127:472,1983,.

423) Observation of Single Isolated Electrons of High Transverse Momentum in Events with Missing Transverse Energy at the CERN anti-p p Collider.

By UA2 Collaboration

Phys.Lett.B122:476-485,1983,.

424) PRELIMINARY SEARCHES FOR HADRON JETS AND FOR LARGE TRANSVERSE MOMENTUM ELECTRONS AT THE SPS anti-p p COLLIDER.

By UA2 Collaboration

Rome Collider Wkshp.1983:190 Moriond: Hadronic 1983:0637.

425) SLD: LETTER OF INTENT.

By SLD Collaboration

SLAC-PROPOSAL-SLC-09 (1982) 59p.

426) STUDY AND DEVELOPMENT OF CATHODIC AND ANODIC READOUT PROPORTIONAL CHAMBERS (STRIP CHAMBERS) OF THE VERTEX DETECTOR OF UA2 EXPERIMENT (STUDY OF anti-p p INTERACTIONS AT 540-GeV).

By Roberto Battiston.

LAL-82-15 (Jul 1982) 120p.

427) MEASUREMENT OF THE PROTON - ANTI-PROTON ELASTIC AND TOTAL CROSS-SECTION AT A CENTER-OF-MASS ENERGY OF 540-GeV.

By UA4 Collaboration

Phys.Lett.B117:126,1982,.

428) FIRST RESULTS ON LOW MOMENTUM TRANSFER ELASTIC SCATTERING AT THE CERN PROTON - ANTI-PROTON COLLIDER.

By UA4 Collaboration

Phys.Lett.B115:333,1982,.

429) DIMUON PRODUCTION AT THE I.S.R. (TALK).

By CERN-HARVARD-ANNECY(LAPP)-MIT-NAPLES-PISA COLLABORATION

In *Les Arcs 1980, Proceedings, Elementary Constituents and Hadronic Structure, Vol. 1*, 61-65.

430) Measurement of Dimuon Production at the ISR.

By D. Antreasyan, et al.,

Phys.Rev.Lett.45:863,1980,.

431) EVIDENCE FOR two gamma PROCESSES AT THE ISR.

By CERN-Harvard-Annecy(LAPP)-MIT-Naples-Pisa Collaboration

Lect.Notes Phys.134:238,1980,.

432) DIMUON SPECTRA FROM 62-GeV PROTON COLLISIONS.

By CERN-Harvard-Frascati-MIT-Naples-Pisa Collaboration

In *Geneva 1979, Proceedings, International Conference On High Energy Physics, Vol.2*, 779-787 and CERN Geneva - CERN-EP 79-116 (79,REC.OCT) 9p.